

Convention on the Conservation of European Wildlife and Natural Habitats

Standing Committee

Recommendation No. 165 (2013) of the Standing Committee, adopted on 6 December 2013, on the implementation of twenty-one new or revised action plans for most threatened birds in the Convention's area

The Standing Committee to the Convention on the Conservation of European Wildlife and Natural Habitats, acting under Article 14 of the convention;

Having regard to the aims of the convention, which are to conserve wild flora and fauna and their natural habitats:

Recalling that the Convention gives particular emphasis to the conservation of endangered and vulnerable species, including endangered and vulnerable migratory species;

Recalling that Article 3.1 of the Convention requires Parties to take the necessary steps to promote national policies for the conservation of wild flora, wild fauna and natural habitats, with particular attention to endangered and vulnerable species, especially endemic ones, and endangered habitats;

Recalling that Article 4.1 of the Convention requires Parties to take appropriate and necessary legislative and administrative measures to ensure the conservation of the habitats of the wild flora and fauna species, especially those specified in Appendices I and II, and the conservation of endangered natural habitats;

Bearing in mind the Strategic Plan for Biodiversity 2011-2020, adopted by the tenth Conference of the Parties to the Convention on Biological Diversity (CBD), and more particularly Aichi Biodiversity Target 12, aiming at preventing the extinction of known threatened species and improving their conservation status by 2020;

Recalling the EU Biodiversity Strategy to 2020 (COM (2011) 244), aiming at halting the loss of biodiversity and improve the state of Europe's species, habitats, ecosystems and the services they provide, and bearing in mind, its target 1, aiming at the full implementation by Member States of the Birds and Habitats Directives:

Regretting the continuous and rapid decline of bird species populations in Europe;

Desirous to halt this loss:

Aware that the design and implementation of recovery plans may be a useful tool to redress the situation of European globally threatened birds and recalling in this context its Recommendation No. 59 (1997) on the drafting and implementation of action plans of wild fauna species;

Recalling its Recommendations No. 48 (1996) on the conservation of European globally threatened birds; No. 60 (1997) on the implementation of the actions plans for globally threatened birds in Europe; No. 62 (1997) on the conservation of regionally threatened birds in the Macaronesian and Mediterranean regions; No. 75 (1999) on the implementation of new action plans for globally threatened birds in Europe; No. 88 (2001) on the implementation of five new Action Plans for globally threatened birds in Europe; No. 92 (2002) on sixteen new Action Plans for most threatened birds in the Convention's area; and No. 103

(2003) on five new Action Plans for most threatened birds in the Convention's area; No. 121 (2006) on the implementation of six new action plans for most threatened birds in the Convention's area; and No. 156 (2011) on the implementation of an Action Plan for the conservation of the White-tailed Sea Eagle (*Haliaeetus albicilla*) along the Danube

Referring to document T-PVS (2013) 14, prepared by BirdLife International, which provides a list of the Species Recovery Plans elaborated or updated since 2006, which the Standing Committee has not endorsed yet;

Noting that the following Species Recovery Plans do target species or sub-species of concern for the Convention: Eurasian Spoonbil (*Platalea leucorodia*), Red Kite (*Milvus milvus*), Egyptian Vulture (*Neophron percnopterus*), Red-footed Falcon (*Falco vespertinus*), Black-tailed Godwith (*Limosa limosa*), European Roller (*Coracias garrulous*), Dupont's Lark (*Chersophilus duponti*), Semi-collared Flycatcher (*Ficedula semitorquata*), Bewick's Swan (*Cygnus columbianus bewickii*), Greenland White-fronted Goose (*Anser albifrons flavirostris*);

Bearing in mind that a number of Species Action Plans endorsed by the Standing Committee before 2006 have been reviewed and updated, namely those concerning the following species: Balearic Shearwater (Puffinus mauretanicus), Lesser White-fronted Goose (Anser erythropus), Red-breasted Goose (Branta ruficollis), Marbled Teal (Marmaronetta angustirostris), Spanish Imperial Eagle (Aquila adalberti), Lesser Kestrel (Falco naumanni), Little Bustard (Tetrax tetrax), Great Bustard (Otis tarda), Sociable Lapwing (Vanellus gregarius), Aquatic Warbler (Acrocephalus paludicola), Azores Bullfinch (Pyrrhula murina);

Recalling that while International Species Recovery Plans are mainly produced by the European Union, the Convention on Migratory Species (CMS) and the Agreement on the Conservation of African-Eurasian Waterbirds (AEWA), the preparation and implementation of recovery plans at national level is the responsibility of the Parties, arising from the Convention on Biological Diversity (CBD);

RECOMMENDS that Contracting Parties and observer States to the Convention:

- 1. Draw up and/or review and implement national species recovery plans or other relevant measures, as appropriate, on the species listed in Appendices 1 and 2 to this Recommendation, taking into account the relevant international action plans mentioned in there;
- 2. Take into account the revised Species Action Plans while implementing measures dealing with the species mentioned in Appendix 3 to this Recommendation;
- 3. Take note of the International Species Management Plan drawn up by the AEWA for the Svalbard's population of the Pink-footed Goose (*Anser brachyrhynchus*);
- 4. Keep the Standing Committee informed on the measures taken for the implementation of this Recommendation.

Appendix 1

New Species Recovery Plan covering species listed in Appendix II (elaborated in 2006-2013)

Species: Eurasian Spoon	ı bill (Platalea leucorodia)
Global Red List status: Le	east Concern (LC) (2012) European Red List status: SPEC 2, Rare (R) (2004)
The Eurasian Spoonbill i	s a large wading bird, with long neck and legs. The bill is also long and spatulate. The
	ontinuous breeding range extending from the Netherlands to China, with wintering
populations in Europe, A	Africa, the Middle East and Asia. The overall population trend is uncertain, as some
populations are decreasing	g, while others are increasing or stable.
International protection	
European Union (listed	No Species action plan
on annex I)	
CMS - AEWA	International Single Species Action Plan for the Conservation of the
	Eurasian Spoonbill published in 2008 (AEWA technical series no 35)
	Weblink:
	http://www.unep-aewa.org/publications/ssap/eurasian_spoonbill/index.htm
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: endorsement of the 2008 AEWA SSAP	

Species: Red-footed Falo	con (Falco vespertinus)
Global Red List status: N	ear threatened (NT) (2012)
European Red List status:	: SPEC 3 Vulnerable (VU) (2004)
The Red-footed Falcon is	a small, long-winged bird of prey. The male and female have a different plumage. The
Red-footed Falcon breeds	s in eastern Europe and west, central and north-central Asia. It winters in southern Africa,
from South Africa northy	wards to southern Kenya. This species is listed as Near Threatened because it is
experiencing a moderatel	y rapid population decline, owing to habitat loss and degradation.
International protection	
European Union (listed	Species Action plan published in 2010
on annex I)	Weblink:
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/falco_
	<u>vespertinus.pdf</u>
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: endor	sement of the 2010 EU SAP

Species: European Rolle	r (Coracias garrulus)
•	ear threatened (NT) (2012)
	SPEC 2 Vulnerable (VU) (2004)
The European Roller is a medium sized bird; it is mainly blue with an orange-brown back. The European Roller breeds from Morocco, south-west and south-central Europe and Asia Minor east through north-west Iran to south-west Siberia (Russia). The species overwinters in two distinct regions of Africa, from Senegal east to Cameroon and from Ethiopia west to Congo and south to South Africa. This species has apparently undergone moderately rapid declines across its global range and it is consequently considered Near Threatened. Declines have been most pronounced in northern populations.	
International protection	
European Union (listed	Species action plan published in 2008
on annex I)	Weblink:
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/coraci
G	as garrulus garrulus.pdf
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: endor s	sement of the 2008 EU SAP

Species: **Dupont's Lark** (*Chersophilus duponti*)
Global Red List status: Near threatened (NT) (2012)
European Red List status: SPEC 3, Depleted (H) (2004)
Dupont's Lark is small songbird, with a long neck, long legs and a fine sligh

Dupont's Lark is small songbird, with a long neck, long legs and a fine slightly curved bill. The species does not migrate. Chersophilus duponti has two subspecies: the nominate is found in Spain, Morocco and north Algeria; margaritae is found in Algeria, south-east Tunisia, northern Libya and coastal west Egypt. It is sparsely distributed and uncommon in most areas of its relatively small and fragmented range. This species has not been well studied across much of its range, but moderately rapid declines are known to have occurred in some areas and are suspected elsewhere.

International protection	
European Union (listed	Species action plan published in 2008
on annex I)	Weblink:
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/chers
	ophilus_duponti.pdf
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: endor	sement of the 2008 EU SAP

Species: **Semi-collared Flycatcher** (*Ficedula semitorquata*)
Global Red List status: Near threatened (NT) (2012)

European Red List status: SPEC 2 Declining (D) (2004)

The Semicollared Flycatcher is a small passerine bird. The breeding male is mainly black above and white below, with a white half-collar. Females have the black replaced by pale brown. The Semi-collared Flycatcher breeds in south-east Europe: Albania, Armenia, Azerbaijan, Bulgaria, Georgia, Greece, FYR Macedonia, Russia and Turkey, as well as in north-eastern Iran. It winters in a comparatively small region of East Africa, from Sudan and South Sudan through western Kenya, eastern Democratic Republic of Congo, Uganda, Rwanda and Burundi to Tanzania. This poorly-studied migratory species is estimated to be undergoing a moderately rapid population decline, probably as a result of habitat loss on its breeding grounds.

International protection	
European Union (listed	Species Action plan published in 2010
on annex I)	Weblink:
1	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/ficedu
1	la semitorquata.pdf
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: endor	sement of the 2010 EU SAP

Species: Bewick's Swan (Cygnus columbianus bewickii)
Global Red List status: Least Concern (LC) (2012)
European Red List status: SPEC 3W, Vulnerable (VU) (2004)

The Tundra Swan is a small Holarctic swan, with Bewick's Swan occurring in the Palaearctic. This species has an extremely large range, breeding in the Arctic. This species is fully migratory and travels on a narrow front via specific routes using well-known stop-over sites between its Arctic breeding and temperate wintering grounds. The overall population trend is uncertain, as some populations are decreasing, while others are increasing, stable or have unknown trends.

of flave ulikilowii ticilu	s.
International protection	l
European Union	No Species action plan
(listed on annex I)	
AEWA	International Single Species Action Plan for the Conservation of the
	the Bewicks' Swan (AEWA technical series no 44)
	Weblink:
	http://www.unep-
	aewa.org/meetings/en/stc_meetings/stc7docs/pdf/stc7_12_draft_ssap_bewicks_swan.pdf
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: end	orsement of the 2012 AFWA SSAP

Appendix 2

New Species Recovery Plan covering species falling under the protection of Appendix III (elaborated in 2006-2013)

Species: Red Kite (Milvus milvus)
Global Red List status: Near threatened (NT) (2012)
European Red List status: SPEC 2, declining (D) (2004)
The Ded Vite is a section 1 and 1 ind a few section 4 in Western Delegation I is a section of section 1 and

The Red Kite is a medium-large bird of prey, endemic to the Western Palearctic. It is an elegant rufous colored bird, soaring on long wings, with a long forked tail, twisting as it changes direction. It breeds from Spain and Portugal east through central Europe to Ukraine, north to southern Sweden, Latvia and the UK, and south to southern Italy. Populations winter within the western breeding range, and formerly in isolated patches south and east to eastern Turkey. This species is listed as Near Threatened because it is experiencing a moderately rapid population decline, owing mostly to poisoning from pesticides and persecution, and changes in land-use amongst other threats. Despite the current rapid declines in southern Europe, it increases in northern range states.

International protection	
European Union (listed	Species action plan published in 2010
on annex I)	Weblink:
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/milvu
	s milvus.pdf
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: endors	sement of the 2010 FU SAP

Recommendation. Chaorsement of the 2010 Le 5/11

Species: Egyptian Vulture (Neophron percnopterus)
Global Red List status: Endangered (EN) (2012)
European Red List status: SPEC 3 Endangered (EN) (2004)
The Egyptian Vulture is a small vulture with a typical contrasting black and white underwing pattern and wedge-shaped
tail. It is widely distributed from southwestern Europe and Africa to India. The European birds winter throughout the

tail. It is widely distributed from southwestern Europe and Africa to India. The European birds winter throughout the Sahel region of Africa. This long-lived species qualifies as Endangered owing to a recent and extremely rapid population decline in India, combined with severe long-term declines in Europe (>50% over the last three generations [42 years]) and West Africa, plus ongoing declines through much of the rest of its African range.

International protection	
European Union (listed	Single species Action plan published in 2008
on annex I)	Weblink:
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/neoph
	ron_percnopterus.pdf
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: endor	sement of the 2008 EU SAP

Reco	mmendation: endorsement of the 2008 EU SAP
Speci	es: Black-tailed Godwit (Limosa limosa)
Globa	al Red List status: Near threatened (NT) (2012)
Euro	pean Red List status: SPEC 2 Vulnerable (VII) (2004)

Large wader, with long bill on a relatively small head, long neck and long legs. Limosa limosa has a large discontinuous breeding range extending from Iceland to the Russian far east, with wintering populations in Europe, Africa, the Middle East and Australasia. This species is highly gregarious and migrates on a broad front, making long-distance flights, often overland between relatively few staging and wintering areas. The available information suggests that the global population has probably declined by between 14% and 33% over the past 15 years (=3 generations).

years (=3 generations).	
International protection	
European Union (listed	Management plan published in 2007
on annex II/B)	Weblink:
	http://ec.europa.eu/environment/nature/conservation/wildbirds/hunting/docs/black_taile
	<u>d_godwit.pdf</u>
CMS - AEWA	International Single Species Action Plan
	for the Conservation of the
	Black-tailed Godwit published in 2008 (AEWA technical series no 37)

Weblink: http://www.unep-aewa.org/publications/ssap/bt_godwit/black-	
tailed_godwit_internet.pdf	
Status Bern Convention (May 2013): not endorsed by the convention	
Recommendation: endorsement of the 2008, AEWA SSAP	

Species: Greenland White-fronted Goose (Anser albifrons flavirostris)		
Global Red List status: I	Global Red List status: Least concern (LC) (2012)	
European Red List statu	European Red List status: not assessed (2004)	
The Greater White-front	The Greater White-fronted Goose is a medium sized goose species. The species is divided into four subspecies	
The Greenland White-fronted Goose breeds in western Greenland and winters in Ireland and western Scotland.		
International protection		
European Union	No Species Action Plan	
(listed on annex I)		
AEWA	International Single Species Action Plan for the Conservation of the	
	Greenland White-fronted Goose published in 2009 (AEWA technical series no 45)	
	Weblink:	
	http://www.unep-	
	aewa.org/meetings/en/stc_meetings/stc7docs/pdf/stc7_13_draft_ssap_gwgs.pdf	
Status Bern Convention (May 2013): not endorsed by the convention		
Recommendation: endorsement of the 2012 AEWA SSAP		

Appendix 3

Species Action Plans revised after the endorsement of the Standing Committee (2006-2013)

Species: Balearic Shearwater (Puffinus mauretanicus)		
Global Red List status: Critical Endangered (CR) (2012)		
European Red List status:	European Red List status: SPEC 1 Critical (CR) (2004)	
The Balearic Shearwater	The Balearic Shearwater is a medium-sized shearwater, occurring at sea. The species breeds in the Balearic	
	Islands, Spain. In winter, it occurs in the Balearic Sea and off the north-east Spanish coast with most of the	
population traditionally concentrated between Valencia and Catalonia from November to February, although		
recent data suggest that some birds remain in the Atlantic. This species has a tiny breeding range and a small		
population which is undergoing an extremely rapid population decline owing to a number of threats, in particular		
predation at breeding colonies by introduced mammals and at-sea mortality as a result of fisheries by-catch.		
International protection		
European Union (listed	Species Action Plan published in 1996 and revised in 2011	
on annex I)	Weblink:	
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/puff	
	<u>inus_puffinus_mauretanicus.pdf</u>	
Status Bern Convention (May 2013): previous plan endorsed by the convention in 2002 (92)		
Recommendation: endorsement of the revised 2011 EU SAP		

Species: Lesser White-fronted Goose (Anser erythropus)		
Global Red List status: V	Global Red List status: Vulnerable (2012)	
European Red List status	European Red List status: SPEC 1 Endangered (2004)	
	The Lesser White-fronted Goose is a small goose closely related to the larger Greater White-fronted Goose. The	
	Fennoscandinavian population which breeds in the Nordic countries (Norway, Finland, Sweden) and the Kola	
	Peninsula in Russia. The Fennoscandinavian and west Asian breeders winter around the Black and Caspian Seas,	
	in Azerbaijan, the Evros Delta between Greece and Turkey, Iraq and possibly Iran. This species is listed as	
	Vulnerable because it has suffered a rapid population reduction in its key breeding population in Russia, and	
	redicted to continue. The Fennoscandinavian population has undergone a severe	
	historical decline, and has not yet recovered.	
International protection		
European Union (listed	Species Action Plan published in 1996 and revised in 2008.	
on annex I)	Weblink:	
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/anse	
	<u>r_erythropus.pdf</u>	
AEWA	International Single Species Action Plan for the Conservation of the Lesser White-	
	fronted Goose (Western Palearctic Population), published in October 2008 (AEWA	
	technical series no 36)	
	Weblink: http://www.unep-	
aewa.org/activities/working_groups/lwfg/lwfg_ssap_130109.pdf		
Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996 (48)		
Recommendation: endorsement of the 2008 AEWA SSAP		

Species: Red-breasted Goose (Branta ruficollis)		
Global Red List status: Endangered (EN) (2012)		
European Red List status: SPEC 1 Vulnerable (VU) (2004)		
Unmistakable red, black	Unmistakable red, black and white small goose species. Red-breasted Goose breeds on the Taimyr Gydan and	
Yamal peninsulas, Russi	Yamal peninsulas, Russia. In winter, it congregates at the western Black Sea coast in Bulgaria, Romania, and in	
the coastal area in Ukraine. Small numbers also winter in Azerbaijan. This species has a moderately small		
population which appears to have declined rapidly over a short time period.		
International protection		
European Union (listed	Species action plan published in 1996 and revised in 2010	
on annex I)	Weblink:	
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/brant	
	<u>a ruficollis.pdf</u>	
AEWA	International Single Species Action Plan for the Conservation of the	
	Red-breasted Goose published in 2010 (AEWA technical series no 46)	
	Weblink: http://www.unep-	
	aewa.org/meetings/en/stc_meetings/stc7docs/pdf/stc7_14_draft_ssap_rbg.pdf	
Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996		
Recommendation: endorsement of the revised 2012 EU-AEWA SAP		

Species: Marbled Teal (Marmaronetta angustirostris)		
Global Red List status: Vulnerable (VU) (2012)		
European Red List status:	European Red List status: SPEC 1 Vulnerable (VU) (2004)(Western Mediterranean population)	
The Marbled Teal is a sm	The Marbled Teal is a small, grey-brown dabbling duck. Brownish body flecked with creamy-brown. This	
species has a fragmented distribution in the western Mediterranean (Spain, Morocco, Algeria, Tunisia, wintering		
in north and sub-Saharan West Africa), the eastern Mediterranean (Turkey, Israel, Jordan, Syria, wintering south		
to Egypt) and western and southern Asia. This species appears to have suffered a rapid population decline,		
evidenced in its core wintering range, as a result of widespread and extensive habitat destruction. The western		
Mediterranean population has suffered a long-term decline and widespread loss of habitat.		
International protection		
European Union (listed	Species action plan published in 1996 and revised in 2008	
on annex I)	Weblink:	
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/mar	
	maronetta angustirostris.pdf	
Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996		
Recommendation: endorsement of the revised 2008 FU SAP		

Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996		
Recommendation: endorsement of the revised 2008 EU SAP		
Species: Spanish Imperial Eagle (Aquila adalberti)		
Global Red List status: Vulnerable (VU) (2012)		
European Red List status:	European Red List status: SPEC 1 Endangered (EN) (2004)	
The Spanish Imperial Eagl	The Spanish Imperial Eagle is a large, dark eagle. Generally dark brownish-black with prominent white	
"shoulders" on forewing a	"shoulders" on forewing and scapulars. The species breeds in Spain in the Sierras of Guadarrama and Gredos,	
the plains of the Tajo and Tiétar rivers, the central hills of Extremadura, Montes de Toledo, the Alcudia valley,		
Sierra Morena and the Guadalquivir marshes, with occasional nesting in Salamanca and Málaga. It does not		
migrate. This species qualifies as Vulnerable because it has a very small population, which is dependent on		
ongoing intensive management measures to mitigate the impact of threats such as poisoning, electrocution and		
insufficient food availability.		
International protection		
European Union (listed	Species action plan published in 1996 and revised in 2008	
on annex I)	Weblink:	
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/aqui	
	<u>la_adalberti.pdf</u>	
Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996		
Recommendation: endorsement of the revised 2008 EU SAP		

Species: Lesser Kestrel (Falco naumanni)

Global Red List status: Least Concern (LC) (2012) European Red List status: SPEC 1 Depleted (H) (2004)

The Lesser Kestrel is a small falcon. Male has grey head, uniform rusty upperparts, buff underparts with black spots. Grey band from carpal to tertials and black flight feathers. Grey tail with black subterminal band. The species breeds in southwestern and southern Europe, North Africa, Middle East and from Central Asia to Mongolia and China. Birds winter in southern Spain, southern Turkey, Malta and across much of Africa, particularly South Africa. This species underwent rapid declines in western Europe, equivalent to c.46% in each decade since 1950, on its wintering grounds in South Africa, equivalent to c.25% in each decade since 1971, and possibly in parts of its Asian range; however, recent evidence indicates a stable or slightly positive population trend overall during the last three generations. Consequently it has been downlisted from Vulnerable.

International protection

European Union (listed on annex I)

Weblink:

http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/falc o_naumanni.pdf

Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996 (48)

Recommendation: endorsement of the revised 2011 EU SAP

Species: Little Bustard (Tetrax tetrax)

Global Red List status: Near Threatened (NT) (2012) European Red List status: SPEC 1 Vulnerable (VU) (2004)

The Little Bustard is a large bird in the bustard family. The breeding male is brown above and white below, with a grey head and a black neck bordered above and below by white. The Little Bustard has two widely separated breeding populations. In its eastern range it occurs in Russia, Georgia, Kyrgyzstan, Kazakhstan, Ukraine, northwest China, northern Iran and Turkey. Its western range covers Spain and Portugal, with smaller populations in Italy, France and Morocco. Eastern populations winter from Turkey and the Caucasus to Iran, and erratically elsewhere in south Asia, with Azerbaijan holding the main wintering quarters. Western populations winter in the Mediterranean zone, with the Iberian peninsula holding the most important wintering population. This species is listed as Near Threatened because it is probably experiencing a moderately rapid overall population decline, driven by rapid declines in the west of its range, owing mainly to habitat loss and degradation, as well as low-level hunting pressure.

C 1	
International protection	
European Union (listed	Species action plan published in 1999 and revised in 2011
on annex I)	
	Weblink:
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/tetra
	x_tetrax.pdf
C D C	0.5 0.010)

Status Bern Convention (May 2013): previous plan endorsed by the convention in 2001 (88)

Recommendation: endorsement of the revised 2011 EU SAP

Species: **Great Bustard** (*Otis tarda*)

Global Red List status: Vulnerable (VU) (2012)

European Red List status: SPEC 1 Vulnerable (VU) (2004)

Large, grey-and-brown bustard. Grey head and neck, brown barred black above. White underparts with reddish-brown breast-band, developing with age in males. The Great Bustard breeds in Morocco, Portugal, Spain, Austria, Czech Republic, Germany, Slovakia, Hungary, Serbia and Montenegro, Romania, Turkey, Iran, Russia, Ukraine, Kazakhstan, Mongolia and China. Most populations are partially migratory. This species has suffered rapid population reductions across most of its range owing to the loss, degradation and fragmentation of its habitat, as well as hunting. Although populations in its Iberian stronghold have stabilised and possibly increased, hunting in Central Asia results in high rates of adult mortality, and land-use changes in eastern Europe, Russia and central Asia may have a significant impact on this species's population and the extent of its remaining habitat, such that it is likely to continue declining at a rapid rate over the next three generations.

International protection

European Union (listed on annex I)

Species action plan published in 1996 and revised in 2010

Weblink:

 $\underline{\text{http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/otis}\\ \text{tarda.pdf}$

Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996 (48)

Recommendation: endorsement of the revised 2010 EU SAP

Species: Sociable Lapwing (Vanellus gregarius)

Global Red List status: Critical Endangered (CR) (2012)

European Red List status: SPEC 1 Critical Endangered (CR) (2004)

Strikingly patterned plover. Adult greyish with black and chestnut belly. White supercilium and black crown and eye-stripe. The Sociable Lapwing breeds in northern and central Kazakhstan and south-central Russia, migrating to key wintering sites in Eritrea, Sudan and north-west India. This species is listed as Critically Endangered because its population has undergone a very rapid reduction, for reasons that are poorly understood; this decline is projected to continue and increase in the future.

International protection

AEWA

International Single Species Action Plan for the Conservation of the Sociable Lapwing published in 2011 (AEWA technical series no 47)

Weblink: http://www.unep-

aewa.org/meetings/en/stc meetings/stc7docs/pdf/stc7 15 draft ssap sociable lapwin g.pdf

Status Bern Convention (May 2013): previous plan endorsed by the convention in 2003 (103).

Recommendation: endorsement of the 2012 AEWA SSAP

Species: Aquatic Warbler (Acrocephalus paludicola)

Global Red List status: Vulnerable (VU) (2012)

European Red List status: SPEC 1 Vulnerable (VU) (2004)

The Aquatic Warbler is a small, heavily streaked, buff-and-black passerine. It has a pale coronal stripe with black border. The species breeds across a highly fragmented range at fewer than 50 regular breeding sites in Poland, Belarus, Ukraine, Germany and Lithuania. It winters in the Sahelian belt of sub-Saharan West Africa in Senegal and in in south-west Mauritania and Mali. The species probably declined rapidly until the late 1990s, as a result of the destruction of its habitat, at a rate equivalent to 40% in 10 years. It therefore qualifies as Vulnerable. The decline in the central-European core population has recently been stopped owing to intensive management and conservation projects, but the population is still widely conservation-dependent.

International protection

European Union (listed on annex I)

Species Action Plan revised in 2008 (first plan published in 1996)

Weblink:

http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/acrocephalus_paludicola.pdf

Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996 (48)

Recommendation: endorsement of the revised 2008 EU SAP

Species: Azores Bullfinch (Pyrrhula murina)		
Global Red List status: Endangered (EN) (2012)		
European Red List status:	European Red List status: SPEC 1 Endangered (EN) (2004)	
This songbird is a medium-sized, plump, short-winged, long-tailed, dull coloured finch. Black cap and facial area, tail and wings. The Azores Bullfinch is endemic to the Azores, Portugal, where it is confined to the east of the island of São Miguel. This species is listed as Endangered as it occurs at only one locality and has a very small range, within which the quality of habitat is thought to be decreasing due the spread of invasive plant species.		
International protection		
European Union (listed	Species action plan published in 1996 and revised in 2010	
on annex I)	Weblink:	
	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/pyrr	
	hula_murina.pdf	
Status Bern Convention (May 2013): previous plan endorsed by the convention in 1996 (48)		
Recommendation: endorsement of the revised 2010 EU SAP		